

ALYA PROTECT-T

Transparent Protection

DESCRIPTION

It is modified silicone emulsion resin based; clear, bright surface protector -finishing polish, used for internal and external purposes

PROPERTIES

ALYA PROTECT luster the surface after ALYA WALL or ALYA ROOF Thermal Insulation and Waterproofing Coating materials, to increases the surface waterproofing and resistance to weathering factors

APPLICATION SURFACES

Used on ALYA WALL and ALYA ROOF Coating layers.

APPLICATION

•Apply with brush or a roller on the surfaces at least 6 hours after ALYA WALL and ALYA ROOF Coating application.

PHYSICAL PROPERTIES

Brightness	Bright
Colour	Clear
Solid Matter	30±2% (by weight)
Density	1.02 gr/cm ³
Application Tools	Roller or Brush
Spraying pressure	40 Bar/580 psi
Nozzle Diameter	0.021"-0.027"
Flash Point	None

ALYA PROTECT-T

Transparent Protection

CONSUMPTION

1.2-1.3 kg/m² according to the type, absorbency and structure of the surface to be applied, controlled sample shall be performed for accurate consumption rate

DRYING TIME

(at 20 °C, 65% HR)

Touch drying	1 hours
Over Coating	6-12 hours
Full Drying	24 hours
Note	(Drying time may be extended at a higher level of relative humidity and low temperature).

STORAGE

2 years in its unopened package, in cool and dry place protected from frost and direct sunlight

QUALITY AND ATTENTION

Alya Chemical products are crafted within a management system that is independently certified to meet the standards of quality, environmental responsibility, and occupational health and safety as outlined in ISO 9001 and Alya Chemical ESHQ recommendations.

The properties listed are derived from controlled laboratory tests.

® = A registered trademark of Alya Chemical in various countries

DANGER

AND SAFETY PRECAUTIONS

R 43: May cause sensitivity by skin contact.

S 2: store away from children reach

S 23: Do not breathe vapour.

S 24/25: Avoid contact with eyes and skin.

S 37: Wear suitable gloves.

S 46: If swallowed, seek medical advice immediately and show the container or the label.

S 56: Dispose of this material and its container at hazardous or special waste collection point.

DISCLAIMER

This document serves as a comprehensive guide for product application, drawing upon our extensive industry expertise. Customers are required to conduct thorough testing and seek guidance for applications not explicitly covered. Usage of our products beyond specified applications without prior consultation with Alya Chemical may result in potential damages, for which sole responsibility lies with the customer.

Descriptions and details are subject to change without notice, emphasizing the recipient's obligation to uphold proprietary rights and comply with legal regulations. Mentioning trade names does not imply endorsement. While our information portrays quality, it does not constitute a warranty. Liability for discrepancies is acknowledged only in cases of intent or gross negligence. This disclaimer underscores the importance of testing, consultation, and responsible product use, reaffirming our dedication to providing trustworthy guidance within well-defined responsibility parameters.